

2021 Modified Curly-Leaf Pondweed Treatment Lakeshore Drive and LHOF Bay - Endothall (3-26-2021 LEAPS)						
Treatment Area Characteristics				Aquathol® K (liquid)		
Bed	Acreage	Mean Depth (ft)	Acre-Feet	Target A.I. (ppm)	Total Treatment (gallons)	Density
LakeshoreDr-21	19.50	3.5	68.25	1.5	68.25	Moderate
LHOFBay-21	2.29	3.6	8.24	2	10.72	Moderate
TOTAL	21.79		76.49		78.97	



Light Green – 2021 Proposed CLP Treatment Areas

Pale Yellow – Sensitive Areas

Rice Lake, Barron County 2021 Preliminary HWM Chemical Treatment Plan 3/29/2021						
Treatment Site	Acreage	Mean Depth (feet)	Volume (acre-feet)	Treatment a.i. ppm	Treatment application (gal)	Application rate (gal/ac-ft)
CLWB-N-21	5.04	3	15.12	2.0	21.32	1.41
CLWB-S-21	5.61	3	16.83	2.0	23.73	1.41
	10.65		31.95		45.05	



Pale Green – 2021 Proposed EWM/HWM Treatment Area

Pale Yellow – Sensitive Areas